Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(bridge same bus same reset same (node with remain$4 with connect$4)) and @ad<"19991228"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 11:47
L2	1	(bridge same bus same reset same (node with remain$4 with connect$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 11:49
L7	4	fukunaga.in. and (reset$4 same transmi$6 same receiv$6 same (unchang$5 or connect$6 or configur$5) same node)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 12:16
L8	11	fukunaga.in. and (reset$4 same (stay$5 or remain$5) same (unchang$5 or connect$6 or configur$5) same node)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 12:10
L9	545	(reset$4 same (stay$5 or remain$5) same (unchang$5 or connect$6 or configur$5) same node) and @ad<"19991228"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 12:47
L10	20	(reset$4 same (stay$5 or remain$5) same (unchang$5 or connect$6 or configur$5) same node).ab. and @ad<"19991228"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 12:11
L11	0	(reset$4 same (stay$5 or remain$5) same (unchang$5 or connect$6 or configur$5) same node same "1394" same rece$7 same (transmi$6 or send$5)) and @ad<"19991228"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 12:18
L12	0	(reset$4 same (stay$5 or remain$5) same (unchang$5 or connect$6 or configur$5) same node same rece$7 same (transmi$6 or send$5)) and @ad<"19991228" and "1394"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 12:19
L13	5	(reset$4 same (stay$5 or remain$5) same node same rece$7 same (transmi$6 or send$5)) and @ad<"19991228" and "1394"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 12:20

L14	1	(bridge same (detect$5 with bus with reset) same (node near2 (rece$7 or transmi$6 or send$5)) same (node with (remain$5 or maintain$5 or stay$4) with connect$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 12:25
L15	0	(bridge same (detect$5 with bus with reset) same (node near2 (rece$7 or transmi$6 or send$5)) same (node with (remain$5 or maintain$5 or stay$4) with connect$5)) and @ad<"19991228"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 12:25
L16	7	(reset$4 same (stay$5 or remain$5) same (unchang$5 or connect$6 or configur$5) same node) and @ad<"19991228" and (709/220.ccls. or 709/223.ccls. or 709/224.ccls. or 709/229.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 12:48
L17	7	(reset$4 same (stay$5 or remain$5 or maintain$4 or keep$5 or resecur$5 or re-secur$4) same (unchang$5 or connect$6 or configur$5 or reestablish$5 or re-establish$4) same node same (connect$4 or path)) and @ad<"19991228" and (709/220. ccls. or 709/223.ccls. or 709/224. ccls. or 709/229.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 12:50
L18	2	(bus same reset$4 same (stay$5 or remain$5 or maintain$4 or keep$5 or resecur$5 or re-secur$4) same (unchang$5 or connect$6 or configur$5 or reestablish$5 or re-establish$4) same node same (connect$4 or path)) and @ad<"19991228" and (709/220.ccls. or 709/223.ccls. or 709/224.ccls. or 709/229.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 12:50
L19	93	(bus same reset$4 same (stay$5 or remain$5 or maintain$4 or keep$5 or resecur$5 or re-secur$4) same (unchang$5 or connect$6 or configur$5 or reestablish$5 or re-establish$4) same node same (connect$4 or path)) and @ad<"19991228"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 12:51

L20	4	((bus near reset$4) and (stay$5 or remain$5 or maintain$4 or keep$5 or resecur$5 or re-secur$4) and (unchang$5 or connect$6 or configur$5 or reestablish$5 or re-establish$4) and node and (connect$4 or path)).clm. and @ad<"19991228"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 12:52
L21	378	((bus near reset$4) and (stay$5 or remain$5 or maintain$4 or keep$5 or resecur$5 or re-secur$4) and (unchang$5 or connect$6 or configur$5 or reestablish$5 or re-establish$4) and node and (connect$4 or path)).detd. and @ad<"19991228"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 12:52
L22	16	((bus near reset$4) and (stay$5 or remain$5 or maintain$4 or keep$5 or resecur$5 or re-secur$4) and (unchang$5 or connect$6 or configur$5 or reestablish$5 or re-establish$4) and node and (connect$4 or path)).detd. and @ad<"19991228" and (709/220. ccls. or 709/223.ccls. or 709/224. ccls. or 709/229.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 12:52